

Attachment A

Priority Rank/ Priority Points	City	NDPDES ¹ Permit No.	Project Description	Consultant	Project Number	MHI ² (\$)	User Charge (\$)	RFWCI ³ (%)	Category	Cost (\$1,000)	GPR ⁴ Description	GPR ⁴ Amt. (\$1,000)	Loan term (yrs)
88 / 5	Arthur	NDG321415	Storm Sewer Impr.	Moore Eng.	972-01	56,250	375	0.67	VIA	260	NA	0	30
56 / 5	Arthur	NDG321415	Sewer Rehabilitation	Moore Eng.	972-02	56,250	525	0.93	IIIA / IIIB	500	Energy Eff.	200	30
77 / 5	Beach	NDG320354	Sewer Rehabilitation	AE2S	753-03	33,173	251	0.76	IIIA / IIIB	200	NA	0	30
96 / 5	Belfield	ND0022144	Sewer Rehabilitation	TBD	991-01	65,536	406	0.62	IIIA / IIIB	450	Energy Eff.	300	20
86 / 5	Belfield	ND0022144	Sewer Rehabilitation	TBD	991-02	65,536	458	0.70	IIIA / IIIB	966	Energy Eff.	300	20
99 / 5	Belfield	ND0022144	Sewer Rehabilitation	TBD	991-03	65,536	378	0.58	IIIA / IIIB	177	NA	0	20
130 / 5	Berthold	NDG321938	Sewer Rehabilitation	Moore Eng.	976-02	72,031	346	0.48	IIIA / IIIB	600	NA	0	20+
190 / 5	Beulah	ND0021211	Storm Sewer Impr.	Interstate Eng.	990-02	76,042	171	0.22	VIA	310	NA	0	10+
189 / 5	Beulah	ND0021211	Sewer Rehabilitation	Interstate Eng.	990-03	76,042	171	0.23	IIIB	250	NA	0	10+
184 / 5	Beulah	ND0021211	Storm Sewer Impr.	Interstate Eng.	990-04	76,042	199	0.26	VIA	100	NA	0	10+
89 / 5	Bismarck	NDR030412	Treatment Impr.	HDR	909-02	60,320	402	0.67	I	27,419	NA	0	30
162 / 5	Burlington	NDG123442	Sewer Interceptor	Ackerman-Estvold	756-02	93,250	342	0.37	IVB	1,014	NA	0	20+
172 / 5	Burlington	NDG123442	Treatment Impr.	Ackerman-Estvold	756-03	93,250	304	0.33	I	1,085	NA	0	20+
36 / 5	Cando	NDG320672	Sewer Rehabilitation	Moore Eng.	896-01	48,750	578	1.19	IIIA / IIIB	3,500	Energy Eff.	50	20+
73 / 5	Carpio	NDG221351	Sewer Rehabilitation	Moore Eng.	875-01	53,000	425	0.80	IIIB	600	Energy Eff.	600	30
156 / 5	Carrington	NDG322764	Sewer/St. Sewer Rehab.	Interstate Eng.	729-04	51,550	210	0.41	IIA/IIIB/VIA	300	NA	0	20+
11 / 5	Carson	NDG320265	Sewer Rehabilitation	Interstate Eng.	981-01	36,250	830	2.29	IIIA / IIIB	3,500	Energy Eff.	1,390	20+
41 / 5	Cavalier	NDG121954	Sewer Rehabilitation	AE2S	795-03	37,375	417	1.12	IIIB	241	NA	0	30
138 / 5	Center	NDG220036	Sewer Rehabilitation	Ulteig Eng.	915-01	65,000	300	0.46	IIIB	1,770	Energy Eff.	414	30
159 / 5	Colfax	NDG323582	Sewer Rehabilitation	Interstate Eng.	994-03	108,125	417	0.39	IIIB	300	NA	0	30
46 / 5	Columbus	NDG321741	Treat. Impr./Sewer Rehab.	Ackerman-Estvold	984-01	36,607	365	1.00	I / IIIB	454	NA	0	20+
168 / 5	Cooperstown	ND0023213	Sewer Rehabilitation	Moore Eng.	762-03	47,500	166	0.35	IIIA / IIIB	300	NA	0	20+
175 / 5	Cooperstown	ND0023213	Sewer Rehabilitation	Moore Eng.	762-04	47,500	153	0.32	IIIB	200	Energy Eff.	10	20+
157 / 5	Cooperstown	ND0023213	Treatment Impr.	Moore Eng.	762-05	47,500	193	0.41	I	500	NA	0	20+
176 / 5	Des Lacs	NDG322900	Treatment Impr.	Ackerman-Estvold	862-02	77,500	247	0.32	I	93	NA	0	20+
151 / 5	Des Lacs	NDG322900	Sewer Rehabilitation	Ackerman-Estvold	862-03	77,500	332	0.43	IIIB	211	NA	0	20+
140 / 5	Dickinson	ND0023175	Sewer Rehabilitation	Apex Engineering	933-04	74,838	343	0.46	IIIB	2,682	NA	0	30
144 / 5	Dickinson	ND0023175	Sewer Rehabilitation	Apex Engineering	933-05	74,838	333	0.44	IIIB	2,003	NA	0	30
203 / 5	Dickinson	ND0023175	Recycled Water Distribution	Apex Engineering	933-06	74,838	NA		X	1,800	Water Eff.	1,800	30
105 / 5	Dunn Center	NDG120575	Storm Sewer Impr.	Hyalite	958-02	61,250	332	0.54	VIA	250			
106 / 5	Dunn Center	NDG120575	Sewer Impr.	Hyalite	958-03	61,250	332	0.54	IIIB / IVA	376			
107 / 5	Dunn Center	NDG120575	Treatment Impr.	Hyalite	958-04	61,250	332	0.54	I	600			
17 / 5	East Central RWD		Treatment Exp. - Rural Sewers	AE2S	1061-01	50,652	900	1.78	IVB	1,500	NA	0	30
79 / 5	Elgin	NDG322250	Sewer Rehabilitation	Ulteig Eng.	897-01	32,109	240	0.75	IIIB	250	NA	0	30
66 / 5	Ellendale	NDG320711	Sewer Rehabilitation	Interstate Eng.	781-04	42,744	365	0.85	IIIA / IIIB	3,000	NA	0	30
100 / 5	Enderlin	ND0022462	Treatment Impr.	Moore Eng.	794-04	52,083	299	0.57	I	350	NA	0	20+
50 / 5	Enderlin	ND0022462	Sewer/St.Sewer Rehab.	Moore Eng.	833-03	52,083	506	0.97	IIA/IIIB/VIA	1,500	NA	0	20+
67 / 5	Fairmount	NDG123264	Sewer Rehabilitation	Moore Eng.	912-01	48,542	407	0.84	IIIA / IIIB	400	Energy Eff.	50	20+
68 / 5	Fairmount	NDG123264	Sewer/St.Sewer Rehab.	Moore Eng.	912-02	48,542	407	0.84	IIIB / VIA	400	Energy Eff.	10	20+
146 / 5	Fargo	ND0022870	Treat. Exp. - Regional	AE2S	684-08	48,060	211	0.44	IVB	7,000	NA	0	30
139 / 5	Fargo	ND0022870	Sewer Impr.-South Side Impr.	AE2S	684-09	48,060	221	0.46	IVB	12,000	NA	0	30
150 / 5	Fargo	ND0022870	Sewer Rehab.-Eff. FM Impr.	AE2S	684-10	48,060	206	0.43	I	4,400	NA	0	30
142 / 5	Fargo	ND0022870	Stormwater Infrastructure	Houston Eng.	684-11	48,060	219	0.46	VIA	11,000	NA	0	
147 / 5	Fargo	ND0022870	Effluent Reuse Fac. Exp.	AE2S	715-06	48,060	208	0.43	II	5,000	Water Eff.	2,400	30
31 / 5	Fingal	NDG320249	Sewer Rehabilitation	Moore Eng.	947-02	63,125	836	1.32	IIIB	250	Energy Eff.	10	20+
115 / 5	Flasher	NDG321270	Sewer Rehabilitation	Ulteig Eng.	888-02	57,679	300	0.52	IIIA / IIIB	250	Energy Eff.	133	20+
72 / 5	Flaxton	NDG322012	Sewer Rehabilitation	Ackerman-Estvold	1023-01	37,250	301	0.81	IIIA / IIIB	427	Energy Eff.	85	20
64 / 5	Forbes	NDG321466	Sewer Rehabilitation	TBD	1041-01	61,875	538	0.87	IIIA / IIIB	325	Energy Eff.	325	20+
178 / 5	Forman	NDG321369	Sewer Impr.	Moore Eng.	830-02	50,156	153	0.31	IVA	500	NA	0	30
181 / 5	Forman	NDG321369	Treatment Impr.	Moore Eng.	830-02	50,156	145	0.29	I	450	NA	0	30
12 / 5	Fort Ransom	NDG125372	Sewer Rehabilitation	Moore Eng.	960-01	46,250	913	2.27	IIIB	850	Energy Eff.	100	20+
29 / 5	Gardner	NDG322021	Storm Sewer Impr.	Moore Eng.	961-02	50,625	679	1.34	VIA	350	NA	0	20+
5 / 5	Gardner	NDG322021	Treatment Impr.	Moore Eng.	961-03	50,625	1,673	3.30	I	1,000	NA	0	20+

Attachment A

Priority Rank/ Priority Points	City	NDPDES ¹ Permit No.	Project Description	Consultant	Project Number	MHI ² (\$)	User Charge (\$)	RFWCI ³ (%)	Category	Cost (\$1,000)	GPR ⁴ Description	GPR ⁴ Amt. (\$1,000)	Loan term (yrs)
59 / 5	Garrison	NDG122209	Sewer Rehabilitation	Moore Eng.	1024-01	53,580	489	0.91	IIIA / IIIB	3,300	NA	0	20+
163 / 5	Garrison	NDG122209	Sewer Rehabilitation	Moore Eng.	1024-02	53,580	196	0.37	IIIA / IIIB	450	NA	0	20+
109 / 5	Glen Ullin	NDR109364	Storm Sewer Impr.	Moore Eng.	1055-01	51,648	275	0.53	VIA	1,000	NA	0	30
110 / 5	Glen Ullin	NDR109364	Treatment Impr.	Moore Eng.	1055-02	51,648	275	0.53	I	1,000	NA	0	30
34 / 5	Glenburn	NDG321253	Storm Sewer Impr.	Moore Eng.	930-02	62,000	762	1.23	VIA	1,500	NA	0	20+
23 / 5	Glenburn	NDG321253	Sewer Rehabilitation	Moore Eng.	930-03	62,000	961	1.55	IIIA / IIIB	2,100	Energy Eff.	800	20+
125 / 5	Grafton	NDR104000	Sewer Rehabilitation	KLJ	696-04	44,926	226	0.50	IIIB	200	NA	0	15+
122 / 5	Grafton	NDR104000	Treatment Impr.	KLJ	696-05	44,926	227	0.51	I	250	NA	0	15+
62 / 5	Grand Forks	ND0022888	Treatment Impr. - General Upgrade	AE2S	806-04	47,593	425	0.89	I	5,500	Energy Eff.	2,000	20+
51 / 5	Grand Forks	ND0022888	Treatment Impr. - Biosolids Proc.	AE2S	806-05	47,593	459	0.96	I	15,000	Energy Eff.	7,000	20+
48 / 5	Granville	NDG320737	Sewer Rehabilitation	Ackerman-Estvoid	819-03	60,000	590	0.98	IIIA / IIIB	428	Energy Eff.	85	15+
117 / 5	Grenora	NDG323205	Sewer Rehabilitation	Ackerman-Estvoid	999-02	50,833	260	0.51	IIIA / IIIB	656	NA	0	30
118 / 5	Grenora	NDG323205	Sewer Rehabilitation	Ackerman-Estvoid	999-03	50,833	260	0.51	IIIA / IIIB	626	NA	0	30
119 / 5	Grenora	NDG323205	Sewer Rehabilitation	Ackerman-Estvoid	999-04	50,833	260	0.51	IIIA / IIIB	668	NA	0	30
60 / 5	Hannafor	NDG221482	Treat. Impr./Sewer Rehab.	Moore Eng.	1026-01	55,625	502	0.90	I / IIIB	650	NA	0	30
44 / 5	Hannafor	NDG221482	Sewer Rehabilitation	Moore Eng.	1026-02	55,625	568	1.02	IIIA / IIIB	750	NA	0	30
94 / 5	Harvey	NDG120281	Sewer Rehabilitation	Moore Eng.	877-04	37,200	233	0.63	IIIA / IIIB	1,150	Energy Eff.	100	30
103 / 5	Harwood	NDG224562	Sewer Rehabilitation	Moore Eng.	927-01	93,125	520	0.56	IIIB	300	NA	0	30
179 / 5	Hatton	NDG322063	Treatment Impr.	TBD	885-01	46,161	140	0.30	I	200	N/A	0	20
200 / 5	Hazen	NDG120745	Sewer/St.Sewer Rehab.	Moore Eng.	932-03	77,275	124	0.16	IIA/IIIB/VIA	1,074	Energy Eff.	716	30
197 / 5	Hettinger	ND0022497	Treatment Impr.	Moore Eng.	788-02	57,188	108	0.19	I	455	Water Eff.	110	30
171 / 5	Horace	NDG223485	Sewer Interceptor	Interstate Eng.	815-05	107,000	350	0.33	IVB	996	NA	0	20+
136 / 5	Horace	NDG223485	Sewer Interceptor	Interstate Eng.	815-06	107,000	500	0.47	IVB	2,557	NA	0	20+
71 / 5	Horace	NDG223485	Sewer Interceptor	Interstate Eng.	815-07	107,000	870	0.81	IVB	1,008	NA	0	20+
161 / 5	Horace	NDG223485	Sewer Interceptor	Interstate Eng.	815-08	107,000	400	0.37	IVB	697	NA	0	20+
52 / 5	Hunter	NDG322594	Sewer Rehabilitation	Moore Eng.	782-05	53,333	510	0.96	IIIA / IIIB	500	NA	0	30
123 / 5	Jamestown	ND0023370	Treatment Impr.	Interstate Eng.	752-03	49,086	248	0.51	I	2,800	Green & Ener	800	30
134 / 5	Jamestown	ND0023370	Sewer Rehabilitation	Interstate Eng.	808-10	49,086	232	0.47	IIIB	420	NA	0	20+
124 / 5	Jamestown	ND0023370	Storm Sewer Rehab.	Interstate Eng.	808-11	49,086	248	0.51	VIA	6,200	NA	0	20+
152 / 5	Jamestown	ND0023370	Storm Sewer Rehab.	Interstate Eng.	808-12	49,086	210	0.43	VIA	2,200	NA	0	20+
133 / 5	Jamestown	ND0023370	Sewer Rehabilitation	Interstate Eng.	808-13	49,086	234	0.48	IIIB	700	NA	0	30
132 / 5	Jamestown	ND0023370	Treatment Impr.	Interstate Eng.	808-14	49,086	235	0.48	I	5,600	Green	5,600	30
121 / 5	Jamestown	ND0023370	Treatment Impr.	Interstate Eng.	808-15	49,086	250	0.51	I	8,250	NA	0	30
85 / 5	Jamestown	ND0023370	Water Meter Replacement	Interstate Eng.	808-16	49,086	345	0.70	Water Eff	2,835	Water Eff.	2,835	20
9 / 5	Jud	NDG323086	Treat. Impr./Sewer Rehab.	Moore Eng.	1053-01	23,929	585	2.45	I / IIIB	500	NA	0	30
14 / 5	Kathryn	NDG126298	Sewer Rehab.	Moore Eng.	948-02	36,250	777	2.14	IIIB	250	Energy Eff.	250	20
141 / 5	Kenmare	ND0020079	Sewer Rehabilitation	Ackerman-Estv.	1001-01	57,763	264	0.46	IIIA / IIIB	500	NA	0	20+
37 / 5	Killdeer	NDG120753	Treatment Impr.	AE2S	1002-01	67,250	792	1.18	I	4,000	NA	0	30
25 / 5	Kindred	NDG122179	Treat. Impr./Sewer Rehab.	Moore Eng.	832-02	67,750	1,013	1.50	I / IIIB	5,600	NA	0	30
1 / 5	Lake Upsilon RSD		Treatment Impr.	HDR Eng.	1059-01	37,313	3,990	10.69	I	12,183	Green	12,183	30
63 / 5	Lakota	NDR109759	Sewer Rehabilitation	Moore Eng.	799-03	55,313	493	0.89	IIIB	1,200	Energy Eff.	50	20+
57 / 5	LaMoure	NDG120222	Treat. Impr./Sewer Rehab.	Moore Eng.	902-02	54,306	502	0.92	I / IIIB	1,400	NA	0	30
166 / 5	Langdon	ND0020630	Sewer Rehabilitation	Moore Eng.	777-02	65,052	235	0.36	IIIA / IIIB	1,100	Energy Eff.	50	30
174 / 5	Langdon	ND0020630	Storm Sewer Rehab.	Moore Eng.	777-03	65,052	210	0.32	VIA	600	NA	0	30
177 / 5	Langdon	ND0020630	Treatment Impr.	Moore Eng.	777-04	65,052	205	0.32	I	500	NA	0	30
97 / 5	Leeds	NDG322403	Treat. Impr./Sewer Rehab.	Moore Eng.	941-01	53,938	331	0.61	I/IIIA/IIIB	500	Energy Eff.	15	20
13 / 5	Lehr	NDG321512	Sewer Rehabilitation	TBD	950-02	32,188	729	2.26	IIIA / IIB	825	Energy Eff.	825	20+
98 / 5	Lidgerwood	NDG321539	Treatment Impr.	Interstate Eng.	835-04	43,958	255	0.58	I	380	NA	0	20+
39 / 5	Lisbon	NDG122080	Storm Sewer Impr.	Moore Eng.	836-06	55,136	631	1.14	VIA	6,250	NA	0	20+
129 / 5	Lisbon	NDG122080	Sewer Rehabilitation	Moore Eng.	836-07	55,136	271	0.49	IIIA / IIIB	1,570	NA	0	20+
153 / 5	Lisbon	NDG122080	Treatment Impr.	Moore Eng.	836-08	55,136	227	0.41	I	1,000	NA	0	20+
3 / 5	Makoti	NDG321547	Treatment Impr.	Moore Eng.	963-02	39,688	1,417	3.57	I	2,000	NA	0	30
4 / 5	Makoti	NDG321547	Sewer Rehabilitation	Moore Eng.	963-03	39,688	1,354	3.41	IIIB	1,900	NA	0	30
104 / 5	Mandan	ND0022861	Sewer Rehab. / Interceptor	AE2S	775-05	60,034	330	0.55	IIIB / IVB	4,655	Energy Eff.	190	20+
120 / 5	Mandan	ND0022861	Sewer Rehab.-Lining	AE2S	775-06	60,034	306	0.51	IIIB	3,274	Energy & Env	1,250	30
131 / 5	Mandan	ND0022861	Sewer Interceptor-I-94 Trunk	AE2S	775-07	60,034	288	0.48	IVB	814	NA	0	30
42 / 5	Mapleton	NDG220494	Treat. Impr./Sewer Interceptor	Moore Eng.	790-04	78,750	849	1.08	I / IVB	5,805	NA	0	30

Attachment A

Priority Rank/ Priority Points	City	NDPDES ¹ Permit No.	Project Description	Consultant	Project Number	MHI ² (\$)	User Charge (\$)	RFWCI ³ (%)	Category	Cost (\$1,000)	GPR ⁴ Description	GPR ⁴ Amt. (\$1,000)	Loan term (yrs)
91 / 5	Mapleton	NDG220494	Sewer Rehabilitation	Moore Eng.	790-05	78,750	520	0.66	IIIA / IIIB	1,650	Energy Eff.	1,650	30
193 / 5	Max	NDG321792	Sewer Rehabilitation	Ackerman-Estvold	860-01	51,528	104	0.20	IIIB	52	NA	0	10+
183 / 5	Max	NDG321792	Sewer Rehabilitation	Ackerman-Estvold	860-02	51,528	138	0.27	IIIB	208	NA	0	20+
108 / 5	Mayville	NDG122586	Sewer Rehabilitation	Moore Eng.	848-04	43,472	232	0.53	IIIB	200	NA	0	30
6 / 5	McClusky	NDG320796	Sewer/St. Sewer Rehab.	Moore Eng.	1052-01	27,159	869	3.20	IIA/IIIB/VIA	4,200	NA	0	30
90 / 5	Medina	NDG320800	Treatment Impr.	Moore Eng.	749-03	46,250	307	0.66	I	500	NA	0	30
22 / 5	Medina	NDG320800	Sewer Rehabilitation	Moore Eng.	749-04	46,250	723	1.56	IIIA / IIIB	2,000	NA	0	30
40 / 5	Minot	ND0022896	Sewer Rehab. /Storm Sewer Impr	Houston Eng.	693-07	62,324	707	1.13	IIIB / VIA	45,000	NA	0	30
188 / 5	Minto	NDG220826	Treatment Impr.	AE2S	942-02	64,286	152	0.24	I	234	TBD	TBD	30
201 / 5	Missouri West Water System		Water Meter Replacement	Bartlett and West	1063-01	63,549	0	0.00	Water Eff	374	Water Eff.	800	20
158 / 5	Mohall	NDG320087	Sewer Rehabilitation	Ackerman-Estvold	952-01	62,813	255	0.41	IIIA / IIIB	357	NA	0	30
33 / 5	Mooreton	NDG223671	Sewer Rehabilitation	Interstate Eng.	1042-01	63,333	790	1.25	IIIA / IIIB	853	NA	0	20+
26 / 5	Napoleon	NDG320419	Sewer Impr.	Moore Eng.	727-03	52,083	769	1.48	IVA	578	NA	0	30
15 / 5	New England	NDG122101	Sewer Rehabilitation	Moore Eng.	1035-01	52,500	1,087	2.07	IIIB	4,000	Energy Eff.	200	30
199 / 5	New England	NDG122101	Storm Sewer Impr.	Moore Eng.	1035-02	52,500	89	0.17	VIA	200	NA	0	20+
101 / 5	New England	NDG122101	Treatment Impr.	Moore Eng.	1035-03	52,500	299	0.57	I	1,000	NA	0	20+
43 / 5	New Salem	NDG323051	Sewer Rehabilitation	AE2S	920-01	52,143	550	1.05	IIIB	2,575	NA	0	30
54 / 5	New Town	NDG123256	Treatment Impr.	AE2S	907-01	53,086	502	0.95	I	5,343	NA	0	30
170 / 5	New Town	NDG123257	Sewer Rehabilitation	Ackerman-Estvold	907-02	53,086	174	0.33	IIIA / IIIB	787	NA	0	30
127 / 5	Noonan	NDG321857	Sewer Rehabilitation	Ackerman-Estvold	1020-03	60,500	300	0.50	IIIB	641	NA	0	20+
20 / 5	North Prairie RWD		Treatment Exp. - Rural Sewers	Interstate Eng.	1060-01	63,037	1,048	1.66	IVB	1,945	Env. Inn.	1,945	30
82 / 5	Oakes	NDG120834	Sewer Impr.	Moore Eng.	850-06	53,938	398	0.74	IIA/IIIB/IVA	1,000	Energy Eff.	1,000	30
84 / 5	Oakes	NDG120834	Storm Sewer Impr.	Moore Eng.	850-07	53,938	394	0.73	VIA	940	Water Eff.	940	30
2 / 5	Oberon	NDG320842	Sewer Rehabilitation	Moore Eng.	1038-02	33,929	2,259	6.66	IIIB	2,000	NA	0	30
10 / 5	Page	NDG323221	Sewer Rehabilitation	Moore Eng.	969-01	53,125	1,251	2.35	IIIA / IIIB	1,175	Energy Eff.	300	20+
61 / 5	Park River	NDG122829	Sewer Rehabilitation	AE2S	797-02	45,179	406	0.90	IIIB	929	NA	0	30
182 / 5	Pembina	NDG120257	Treatment Impr.	Widseth Smith Noltin	881-02	74,722	200	0.27	I	1,960	NA	0	30
165 / 5	Plaza	NDG324597	Sewer Rehabilitation	AE2S	1044-01	62,788	228	0.36	IIIB	361	NA	0	30
38 / 5	Plaza	NDG324597	Sewer Rehabilitation	AE2S	1044-02	62,788	722	1.15	IIIA / IIIB	1,717	NA	0	30
55 / 5	Portland	NDG120214	Sewer Rehabilitation	Moore Eng.	853-04	52,708	492	0.93	IIIA / IIIB	780	Energy Eff.	250	20+
93 / 5	Riverdale	NDR110096	Sewer Rehabilitation	Ulteig Eng.	898-01	47,000	300	0.64	IIIA / IIIB	1,141	Energy Eff.	TBD	20+
21 / 5	Robinson	NDG321580	Treat. Impr./Sewer Rehab.	Moore Eng.	895-01	41,250	670	1.62	I/IIIA/IIIB	350	NA	0	30
7 / 5	Rolette	NDG320002	Sewer Rehabilitation	Moore Eng.	1007-01	39,205	1,165	2.97	IIIA / IIIB	4,000	NA	0	30
69 / 5	Rugby	ND0022926	Sewer Rehabilitation	Interstate Eng.	796-01	37,450	307	0.82	IIIA / IIIB	4,460	NA	0	30
135 / 5	Rutland	NDG321300	Treatment Impr.	Moore Eng.	892-01	51,625	244	0.47	I	220	NA	0	20+
95 / 5	Sanborn	NDG320311	Storm Sewer Impr.	Moore Eng.	1008-01	55,250	345	0.62	VIA	225	NA	0	20+
47 / 5	Sanborn	NDG320311	Sewer Rehabilitation	Moore Eng.	953-01	55,250	549	0.99	IIIA / IIIB	525	Energy Eff.	400	20+
148 / 5	Sawyer	NDG122756	Sewer Rehabilitation	Moore Eng.	1045-01	72,083	310	0.43	IIIA / IIIB	500	NA	0	30
24 / 5	Sawyer	NDG122756	Treat./Sewer & St. Rehab.	Moore Eng.	1045-02	72,083	1,111	1.54	I/IIIB/VIA	3,150	NA	0	30
128 / 5	Sherwood	NDG321199	Sewer Rehabilitation	Ackerman-Estvold	1009-01	51,500	254	0.49	IIIA / IIIB	374	TBD	0	20+
27 / 5	Sheyenne	NDG221164	Sewer Rehabilitation	Moore Eng.	1036-01	44,375	651	1.47	IIIB	750	NA	0	30
192 / 5	South Heart	NDR106751	Sewer Rehabilitation	Apex Engineering	1057-01	73,750	152	0.21	IIIA / IIIB	300	NA	0	20+
194 / 5	South Heart	NDR106751	Sewer Rehabilitation	Apex Engineering	1057-02	73,750	149	0.20	IIIA / IIIB	180	NA	0	20+
180 / 5	Stanley	NDG320451	Treatment Impr.	Brosz Eng.	840-02	60,500	175	0.29	I	1,600	NA	0	30
198 / 5	Stanley	NDG320451	Sewer Rehab. (Refinance)	Brosz Eng.	840-03	60,500	108	0.18	IIIB	870	NA	0	20+
185 / 5	Stanley	NDG320451	Sewer Rehabilitation	Brosz Eng.	840-04	60,500	157	0.26	IIIB	4,500	NA	0	30
53 / 5	Streeter	NDG320893	Treat. Impr./Sewer Rehab.	Moore Eng.	1029-01	36,250	346	0.95	I / IIIB	600	NA	0	30
35 / 5	Streeter	NDG320893	Sewer Rehabilitation	Moore Eng.	1029-02	36,250	435	1.20	IIIA / IIIB	800	Energy Eff.	50	30
202 / 5	Stusman Rural Water District		Water Meter Replacement	Bartlett and West	1062-01	53,685	0	0.00	Water Eff	800	Water Eff.	800	20
87 / 5	Surrey	NDG320478	Treatment Expansion	AE2S	989-01	86,667	601	0.69	I	3,090	NA	0	30
49 / 5	Sykeston	NDG120141	Sewer Rehabilitation	Moore Eng.	1011-01	64,583	632	0.98	IIIA / IIIB	800	NA	0	30
155 / 5	Thompson	NDG320915	Treatment Impr.	Pribula Eng.	774-01	88,125	360	0.41	I	1,500	NA	0	30
92 / 5	Tioga	NDG320923	Sewer Rehabilitation	Ackerman-Estvold	1017-02	58,478	385	0.66	IIIA / IIIB	8,824	NA	0	30
113 / 5	Tower City	NDG322314	Storm Sewer Impr.	Moore Eng.	852-03	51,667	271	0.52	VIA	300	NA	0	30
114 / 5	Tower City	NDG322314	Treat. Impr./Sewer Rehab.	Moore Eng.	852-04	51,667	271	0.52	I / IIIB	300	NA	0	30
28 / 5	Towner	NDG121822	Sewer Rehabilitation	Moore Eng.	1012-01	43,125	620	1.44	IIIA / IIIB	1,500	NA	0	30
204 / 5	Tuttle	NDG323451	Sewer Rehabilitation	TBD	1051-01	58,125	TBD		IIIB	TBD	NA	0	30
126 / 5	Upham	NDG322551	Sewer Rehabilitation	Ackerman-Estvold	1056-01	39,250	197	0.50	IIIB	175	NA	0	25+
70 / 5	Valley City	ND0020559	Sewer/St. Sewer Rehab.	KLJ	887-03	52,176	427	0.82	IIIB / VIA	3,200	NA	0	30
78 / 5	Valley City	ND0020559	Storm Sewer Impr.	KLJ	887-04	52,176	393	0.75	VIA	1,784	NA	0	30

