Clean Water State Revolving Fund Base and Supplemental 2024 Comprehensive List Total Project Potential Principal | Est. Interes NPDES Permit Affordability Wastewater Sewer Sewer Stormwater Cost Score Land Conservation Energy Projects Water Reuse Forgiveness Rate Project Description Construction Projects The City of Ashburn is under a corrective action plan to reduce wastewater spills. This Project includes sewer ehabilitation of 7000 of clay sanitary sewer installed prior to 1949, replacement of failing Hatfield Road Sanitary ewer pumping station, replacement of failing Industrial Park sewer pumping station, and emergency generators for City of Ashburn* \$1,697,000 2.859 GA0025852 both locations. he City of Dawson plans to conduct additional trenchless rehabilitation of existing sewer mains throughout multiple reas of the City. The Existing Sewer Mains are past their intended service life and need to be rehabilitated to help liminate Inflow and Infiltration. Additionally, the City of Dawson is requesting additional funds for improvements a the City's Water Pollution Control Plant (WPCP). Since inflation has skyrocketed since 2021, the date of the original WSRF Loan for WPCP Improvements, the cost to repair existing and install new equipment at the WPCP has drastically increased. Proposed Work at the City's WPCP will include the following: Replacement of Existing mergency Generator, Modifications to the Existing Raw Sewage Pump Station (including new Submersible Pumps), Construction of a New Screen and Grit Structure, Rehabilitation of Four Existing Clarifiers, Modifications and Rehabilitation to the Existing Aerobic Digester, and the Abandonment of the Existing RAS Control Box. All work will be \$2,000,000 20 GA0021326 ompleted on City-owned Property, Right-Of-Way, or Easements. 4 410 2 859 City of Dawson* The project will be the next phase of a new sanitary sewer collection system to serve the City of Luthersyille in Meriwether County. The collection system will ultimately serve an estimated 330 customers within the city limits. Elements of the collection system will include a network of primarily 8" dia, gravity sewer, new 4" and 6" dia, service laterals, clean outs for every customer, standard 4' diameter manholes, steel casings installed by jack and bore where he sewer crosses state highways, removal and replacement of road and driveway pavements where necessary to install piping, approximately five (5) sewage lift stations which will pump through primarily 6" force mains, and one (1) main lift station which will pump all of the sanitary sewage to an adjacent system for treatment through a 10" force main. The sewage will be pumped nearly 9 miles to the north along Highway 27 Alt. to the Coweta County Water and Sewerage Authority (CCWSA). The first phase of the project includes the installation of the main lift station and force main needed to transport the City's sanitary sewage to the CCWSA. Most of the costs associated with the first phase is expected to be paid from the Sentic to Sewer grant that Luthersville received from GEFA. Any cost overrun from this first phase would be paid out of this proposed loan. This proposed loan would also pay for the next phase of improvements to extend the propose City of Luthersville* \$10,200,000 2.85% uthersville sanitary sewer collection system, connect residents to the system, and abandon old septic systems. nprovements to both City Wastewater Treatment Facilities including, but not limited to, manual to mechanical bar creen replacement, aerator replacement, bypass piping, and clarifier equipment replacement. Additionally, the city \$2,500,000 2.85% City of Vidalia* 10,790 32 Primary will complete rehabilitation work in the sewer collection system and at several lift stations. roposed improvements include a coagulant feed system, grit removal system, aeration disk replacement, digester & belt press replacement, and maintenance improvements at Cairo's water pollution control plant. The proposed mprovements are necessary to correct frequent high volume untreated wastewater spills into Parkers Mill Creek, and 10 180 \$5.265.000 2 859 other NPDES permit violations for exceeding parameter limits as documented in GA-EPD notice of violations. City of Cairo* CSO & Dewatering Building Improvements Joshua Street WPCP \$44,000,000 City of Albany* 65.283 2.859 0 GA0036854 Albany GA The loan will finance the construction and design of a waste water treatment plant in Pembroke Georgia. The project \$7,350,000 2.85% City of Pembroke 2,510 vill provide 1 mgd of treatment for a growing population within or expecting to be within the City limits. he proposed improvements include the addition of aeration equipment, baffle curtains, a septic receiving station, ew bar screen electrical upgrades, dam improvements, and other miscellaneous improvements required to bring th City of Concord \$2,250,000 2.85% 20 GA0025470 pond within EPD compliance by improving the operation of the pond. ewer Improvements renchless Rehab \$10,000,000 City of Savannah 148.004 2.859 Sewer Improvements: I&I Investigation and Remediation 148,004 \$10,000,000 City of Savannah 2.85% 20 Multiple Sewer Improvements: Model-Based Upgrades to Sewer Infrastructure Capacity \$10,000,000 City of Savannah 148 004 2 859 Liberty County Development Authority 65 260 \$37,600,000 2.85% Re-permitting and construction of previously approved Water Reclamation Facility roposed improvements include dredging wastewater pond, filter & disinfection system, earthwork, concrete slab, and electrical work. These improvements are required to address the facility consistently exceeding new NPDES City of Meigs* \$5,384,000 2.85% ermit parameter limits. The new permit limits are to comply with the Lake Talquin nutrient TMDL requirements. he City of Dillard proposes to rehabilitate/ replace approximately 4,300 linear feet of sewer line that is experiencing nfiltration and inflow problems City of Dillard \$950,000 2.85% 20 GA0047139 he City of Maysville proposes to rehabilitate/replace sewer line that is experiencing infiltration and inflow problems he project will also reduce sanitary sewer overflows. City of Maysville 1.870 \$990,000 2.859 he City of Demorest proposes to make improvements to its wastewater system collection system. The proposed roject will rehabilitate several areas within the collection system reducing inflow and infiltration and eliminating ar \$975,000 2.859 City of Demorest minent threat to the environment and public.

Clean Water State Revolving Fund Base and Supplemental 2024 Comprehensive List Total Project Potential Principal | Est. Interes NPDES Permit Affordability Sewer Sewer Project Wastewater Stormwater Construction Land Conservation Energy Projects Water Reuse Score Cost Score Forgiveness Rate **Project Description** Projects The City of Helen proposes to make improvements to its wastewater system collection system. The proposed project vill rehabilitate several areas within the collection system reducing inflow and infiltration and eliminating an nminent threat to the environment and public. An SSES has already been completed identifying areas for ehahilitation \$975,000 City of Helen he City of Baldwin proposes to upgrade and replace approx 3.5 miles of aged and undersized outfall and interceptor wers including manholes and lift stations to reduce inflow and infiltration 3,630 \$2,500,000 2.85% GA0033243 City of Baldwin he City proposes to construct approximately 7,500 linear feet of sanitary sewer main and a pump station in the Hwy. 15 East area to potential customers currently served by failing septic systems GA0033375 City of Blairsville* \$4.112.000 2.859 incoln County proposes to construct a new 0.10 MGD WWTF to serve the South Lincoln Co. SR 47 area. This WWTF vill serve an area that is currently unserved and is experiencing failing septic systems. 7 690 \$5,000,000 2 859 Lincoln County incoln County proposes to extend its wastewater collection system in order to provide sanitary sewer to the Trulock and Overlook areas which are currently unserved and are experiencing failing septic systems \$8,000,000 2.859 Lincoln County** Maysville proposes to expand its existing WWTF to 0.20 MGD. The expansion would eliminate the existing 50 year old vastewater pond and replace it with a new facility. The project will also enable the plant to comply with an EPD onsent order. City of Maysville 1,870 \$6,000,000 2.85% 20 GA0032905 ngineering, Design, and Construction \$10,000,000 City of Savannah 148.004 2.859 Barrow County plans to improve and upgrade the Barber Creek wastewater treatment facility in order to provide approved treatment in order to comply with permit and address an EPD consent order and provide increased apacity. **Barrow County** 85.590 \$17.500.000 2.85% GA0038733 West I-75 Utility Improvements: An extension is proposed for Alabama Road, located West of I-75 in the city limits, to serve future development. Along with this road extension, existing water and sewer will need to be replaced or extended to serve the same purpose. Along with a proposed 8" water line, utility improvements will include approximately 3,800 LF of 10" gravity sewer to a new submersible Lift Station #13. 4,800 LF of 10" force main will be installed from this station, discharging sewer into an existing trunk line on the other side of the Interstate. The existing Lift Station #13 will be decommissioned, and the new station will be sized to pump sewage for both existing ustomers and future development. This station, along with all related piping networks, will be owned and operated by the City of Adel. Currently, Li Station #14 receives all the flow from the old Lift Station #13 as well as urrounding areas. We propose redirecting flow from Lift Station #14, using the existing force main pipe, so i oumps South to the new Lift Station #13 instead of North to another City lift station. This redirection will alleviate the flow burden on other existing lift stations. The added flow from Lift Station #14 will be included in the capacity designed for the new pumps at Lift Station #13. Lift Station #18 Improvements: Station #18 is the last lift station in the City of Adel's sanitary sewage system and pumps the entire sewage flow for the City of Adel, City of Cecil, and the Cook County LandfiII's leachate to the City of Adel's Wastewater Treatment Facility (WWTF). Rehabilitation of this three-pump (triplex) ubmersible pumping station is proposed because of its deterioration due to age and increased flow volume rom Inflow and InfiItration (I&I) during wet weather. The following components will be replaced as part of this project: three submersible pumps, guide rails, access hatch, station piping, electrical panel and controls. Furthermore, the existing wet well will be rehabilitated to include an interior lining of the concrete surfaces with an impermeable membrane for hydrogen sulfide gas protection. The discharge valves and piping in the existing valve vault will be replaced to simplify operation and maintenance. Currently, there are two separate force mains leaving this station, each capable of sending wastewater to the WWTF using existing valves. A 16" pipe takes sewer t he treatment side of the plant while a 10" pipe discharges in the holding pond. The City proposes to abandon the City of Adel** \$4,400,000 2.85% 10" force main routed to the holding pond as it is no longer needed to operate the WWTF. he City of Cedartown's aeration diffuser system to the basins along with solids accumulation has been an issue for neeting NPDES permit at the wastewater treatment plant. This will include aeration diffuser system replacement an ediment removal in all four basins. The four aeration basins will be renovated using the specifications and drawings \$1,750,000 2.85% ssued by the City's engineer. City of Cedartown** 10,190 Replace the pump station along State Route 32. The pump station replacement will include the decommissioning and replacement of four (4) pump stations and relocating the pump stations off the Georgia Department of Transportation's Right-Of-Way. This project will also include sewer extended to new wet wells and force main installed and connected to existing pipe. All existing mechanical and electrical components within the existing manholes will be removed. These manholes will then be re-used as traditional sewer manholes, transporting City of Alma** 3.430 \$2,300,000 2.859 20 640032328 collected sewer to each new wet well. he proposed project will include critical improvements to the Toccoa Creek WPCP to replace equipment and tructures which have exceeded their functional lifespan which risks the discharge of inadequately treated rastewater. The improvements include, but are not limited to, influent screening improvements, influent pump station improvements, flow control structure upgrades, improvements to the flow equalization basin, addition of a ransfer pump station and force main, improvements to the aeration basin, upgrades to the secondary clarifiers and City of Toccoa** 9,130 \$5,500,000 27 Alternate 2.85% 20 GA0021806 gravity thickener, upgrading the sludge pumps, and other miscellaneous improvements he City of Dillard proposes to extend sanitary sewer service to the south section of the City. The proposed project will eliminate problematic onsite septic systems that threaten the health and wellbeing of the area and nearby City of Dillard \$1,200,000 2.859 20 GA0047139 designated trout streams. he City of Sky Valley proposes to construct a wastewater collection and treatment system to provide safe and anitary wastewater disposal to correct onsite septic system issues. These funds will augment an existing GEFA Septi \$2,000,000 2.859 City of Sky Valley

Attachment 1 Clean Water State Revolving Fund Base and Supplemental 2024 Comprehensive List Total Project Potential Principal | Est. Interes NPDES Permit Project Affordability Sewer Sewer Wastewater Stormwater Water Cost Water Reuse Score Forgiveness Rate Project Description Construction anitary sewer improvements to the City's existing system to address I&I issues including sewer collection main GA 0021041 City of Barnesville** 6 29 \$3,000,000 Δlternate 2 859 ipgrades and lift station upgrades. he proposed project will expand and enhance the existing WPCP to 3.5 MGD and will include improvements to the xisting treatment process, comply with the most recent waste load allocation and provide energy efficiency and Town of Braselton 13,400 \$25,000,000 2.859 afety enhancements. he City proposes to replace 6 antiquated wastewater pumping stations with modern high efficiency equipment. The City of Sparta \$3,585,000 2.85% xisting stations are approaching 40 years of age and have ongoing operational issues. he City of Homerville is proposing to rehabilitate the pump station at the water pollution control plant, install a a City of Homerville 2,340 \$2,500,000 2.85% 20 GA0031828 mechanical bar screen and grit separator, replace blowers and install UV equipment. xpansion and Improvement of the Existing Wastewater Treatment Facility, with a 1 MGD mechanical Wastewater Treatment Plant based on the SBR process to provide more capacity for a growing customer base with a quality mprovement. The expansion also includes complete headworks, Filtration, UV, digester, and Belt press. The project will also include the improvement of the two main pump stations. This improvement comprises expande City of Darien \$16,780,000 2.85% GA0033529 capacity, control upgrades, a power generator, and screens to remove the trash at the wet well. anitary sewer collection improvement projects to reduce inflow and infiltration and expand sewer collection beyon xisting service areas. Projects include new sanitary sewer mains, manholes and sewer lift stations, upgrades and ehabilitation of existing sewer lift stations, sewer main replacement and lining, and manhole rehabilitation projects. he inflow and infiltration reduction projects will result in lower energy consumption from reduced pumping and City of Gainesville 42,300 \$20,000,000 2.85% reduced overall amount of treated sewage. he City of Demorest proposes to make improvements to its wastewater collection system. The proposed project wil replace inoperable SCADA at multiple lift-stations as well as supply a portable backup pump reducing SSO's and 2.02 \$575,000 2.859 20 GA0032506 liminating an imminent threat to the environment and public. City of Demorest he City of Baldwin plans to rehabilitate an existing dilapidated lift station in order to stop overflows City of Baldwin 3.63 \$950.000 2.859 GA0033243 The project consists of expansion and improvements to the Existing WPCP and relocates the discharge to a ownstream location as approved by EPD. The project will include addition treatment units, clarification, screening City of Hoschton 2,670 \$25,000,000 2.85% GA0035980 nd grit removal and enhancements to solids handling and disinfection facilities. The City of Blakely is in the process of planning a project to make improvements at their existing wastewater reatment facility (WWTF). The project will include upgrades to the facility and the replacement of existing equipment at the City's existing treatment facility to make the treatment facility more energy efficient and easier to operate. The existing digesters needs to have piping rehabilitated and be completely cleaned to allow for efficient operation. The existing belt press needs to be rehabilitated/replaced due to age and lack of parts for the existing press. Also, the belt press is under a shelter that is open to environmental conditions, the existing building needs to be enclosed. The existing clarifiers need new weirs and the weirs need to be reset for optimum efficiency. Aerators in the WWTF are also failing and need to be replaced with energy efficient motors. The existing mag meters throughout the plant are inaccurate and need to be replaced. The existing flow meters throughout the plant are also inaccurate and need to be replaced for accurate measurement. The existing dissolved oxygen metering throughout the plant is old and needs to be rehabilitated/replaced. The existing SCADA system is also outdated and needs to be replaced with a system that will allow for communication and premium efficiency throughout the plant. A concrete channel to allow for additional aeration and outfall monitoring needs to be added to the treatment facility. Finally alves need to be added outside of tanks to allow for tank isolation and cleaning operations to occur without taking he whole plant out of service. The improvements to the treatment facility will not change the treatment scheme, ffect the degree of treatment, nor affect the facility's treatment capacity. All treatment facility improvements will be on the existing treatment facility site within previously disturbed areas. The treatment facility site is not visible rom adjacent properties due to existing vegetative buffers and distance that the plant operations are from existing \$2,800,000 20 GA0025585 City of Blakely 5.370 2.859 oads, which will not be impacted by this project. he City of Union Point proposes to rehabilitate/ replace sewer lines that are experiencing infiltration and inflow roblems City of Union Point \$2,000,000 2.859 20 GA0025429 1.600 The proposed sanitary sewer improvements include the replacement of several failing and/or undersized sewer mains hat are made from vitrified clay pipe. The mains planned to be replaced have experienced root intrusions, City of Butler \$2,000,000 2.85% 0 641020074 lockages, surcharges of wastewater, inflow and infiltration. The City proposes to implement an extensive I/I reduction program. The aging sewer collection system needs \$2,860,000 2.85% 20 GAJ020079 City of Woodbury manhole rehabilitation, sewer line point repairs, relaying of faulty sewer mains and replacement of sewer laterals. roposed improvements include spray field sprinkler assembly & support post replacement, sluice gate replacement replacement of three bar screens with mechanical bar screens, replacement of four aerators, and sludge dredged rom ponds at the City of Pelham's land application wastewater treatment facility. These improvements are to replace equipment that is critical to accomplish wastewater treatment but has failed, is currently out of service, and is beyond its useful life. Equipment was installed in 1991 (33 years old). The land application system is not operating as designed and is currently requiring full time manual assistance by multiple city employees to partially function City of Pelham 3,510 \$2,585,000 until failed equipment is replaced.

Attachment 1 Clean Water State Revolving Fund																	
Base and Supplemental 2024 Comprehensive List																	
Community	Project Score	Population	Total Project Affordability Potential Principal Est. Interpretation Cost Score Forgiveness Rate		Est. Interest Rate	Est. Term	NPDES Permit No.	Project Description	Wastewater Treatment	Sewer Construction	Sewer Rehabilitation	Stormwater Projects	Land Conservation	Energy Projects	Water Conservation	Water Reuse	
									The Augusta Utilities Department (AUD) of the consolidated government of Augusta-Richmond County owns and operates the sanitary sewer system within and around the Augusta, Georgia. Much of the sewer collection system assets are well over 40 years old with some dating back to installation in the early 1900's. These assets have exceeded their life expectancy and contribute to increased inflow and infiltration (I/I) resulting in sanitary sewer overflows. As a result of a 2011 Consent Order issued by the Georgia Environmental Protection Division (EPD), AUD began evaluating sewer collection system rehabilitation projects that would target the reduction of this I/I. Currently, two project components have been identified for completion based on their readiness to proceed and the overall prioritization by AUD of sewer rehabilitation areas: Camp Hancock-Phase 3 and 6th Street. The Camp Hancock component consists of approximately 1,890 LF of 24-inch gravity sewer main rehabilitation using cured in place pipe lining (CIPP) along with lateral reinstatement, manhole rehabilitation and point repairs if deemed necessary. The 6th Street component AUD consists of approximately 1,781 LF of 36" brick gravity sewer rehabilitation using geopolymer and cured in place pipe lining along with lateral reinstatement, manhole rehabilitation, and point repairs if deemed necessary. Both components involve rehabilitation work within the current alignment with no capacity increases, as such it is expected that a Categorical Exclusion under the State Environmental Review Process (SERP) can be issued. In addition, both are ready to proceed to bidding once funding is approved by the Georgia Environmental Finance Authority (GEFA). Although design engineering has been completed. AUD will procure professional services for support with bidding, construction phase services and project management.								
City of Augusta	15	202,080	\$4,061,706	27		2.85%	20	GA0037621	The Eatonton-Putnam Water and Sewer Authority (EPSWA) is requesting funding to assist with various sewerage system improvement projects throughout their system. These projects are needed to continue to provide adequate service to existing customers and prepare for future growth throughout the system. At both the Eastside and Westside Wastewater Treatment Facilities (WWTF), EPSWA accepts and treats septage. Septage is often delivered by truck, but both facilities currently lack a receiving station to assist with transfer of septage to the facility. Septage receiving stations would assist operators with offloading septage and reduce the likelihood of spills. The current influent gravity sewer line leading to the Westside WWTF is undersized to meet system demand. EPSWA would like to replace this line to accommodate additional flows. Both the East and Westside WWTFs meaded the celetrical evaluations. Many of the electrical components of the plant are dated and are a safety and reliability concern. EPSWA would like to hire an electrician to perform a professional evaluation of these components and identify areas which require improvement. The aerators at both the East and Westside WWTF digesters are dated and have naturally deteriorated over time. EPSWA would like to replace these floating aerators with new equipment to decrease required over time. EPSWA would like to replace these floating aerators with new equipment to decrease required maintenance and increase equipment reliability. To aid with waste sludge treatment and processing, EPSWA would like to install a digester splitter box. To assist with plant operation, EPSWA would like to install influent flow meters following the influent gravity sewer lines entering each plant. The current belt press installed at the Eastside WWTF is outdated and in need of required maintenance. EPSWA would like to replace the existing belt press to assist with sludge handling and disposal. EPSWA has several large lift stations throughout the system that are in need of upgrades to						x		
Eatonton-Putnam Water & Sewer Authority	15	22,047	\$15,493,750	26	5	2.85%	20	GA0032271	Sewer rehabilitation may include manhole lining, manhole replacement, or sewer pipe bursting. The City of Sycamore has 4 pumping stations that are in dire need of pump and control system replacement. The existing pumping stations were installed as part of the original City Wide sanitary sewer system in 1990. Due to the age of the pumps, control panel and electrical equipment, the lift stations continually clog causing the pump station to stop working and thus overflow onto the ground. Periods of rain cause a dramatic increase in inflow and infiltration that creates an even more burden on the system. Due to the amount of I&I, the pumps are all undersized and are in dire need of improvements. The installation of new pumps, motors, control panels will be energy efficient thus reducing the City's power consumption. The installation of a SCADA telemetry system will assist the City in the notification of pump failure, high	x	x						
City of Sycamore	15	692				2.85%		GAJ020067	levels, generator issues, etc. and thus notify the City prior to any sanitary sewer overflows. The City of Gainesville plans to replace multiple stormwater conveyance facilities in the system including (typically corrugated metal) pipes and structures. Projects will also rehabilitate existing streams and ponds; and add new stormwater conveyance including pipes, structures and ponds with a focus on infiltration and reducing point source and non-point source pollutants. Projects will ultimately improve water quality in Lake Lanier and reduce flooding		x	x			x		
City of Gainesville City of Dahlonega	15	42,300 7,540		23		2.85%		GA0020168 GA0026077	around the system by strategically diverting storm flows away from other infrastructure. Replacement of 100 year old water, sanitary sewer, and storm water infrastructure. To expand capacity, replace failing sanitary sewer lines and correct storm water issues on this street.		x		x				
City of Statham	15	2,810	\$800,000	21	1	2.85%		GAUU20U//	The City of Statham proposes to rehabilitate/ replace sewer line that is experiencing infiltration and inflow problems		^	x	^		х		
City of Hoschton	15	2,670	\$800,000	17	7	2.85%	20	GA0035980	The City of Hoschton proposes to upgrade, rehabilitate and replace existing gravity sewer in order to reduce inflow and infiltration.			x			x		

Attachment 1 Clean Water State Revolving Fund Base and Supplemental 2024 Comprehensive List Total Project Potential Principal | Est. Interes NPDES Permit Affordability Sewer Sewer Wastewater Stormwater Score Cost Construction Land Conservation | Energy Projects Water Reuse Score **Project Description** Projects Forgiveness ottenwood Sanitary Sewer Interceptor Ph2. This project seeks to rehabilitate approximately 5.500 linear feet of 30" sewer interceptor which have been inspected via CCTV, assessed utilizing a PACP scoring system, and need replacement. This interceptor sewer serves approximately 2.6 square miles, which accounts for approximately 11% c Marietta Water's service area. The existing sewer is at the end of its service life, and without repairs it is expected to apidly deteriorate causing backups and sanitary sewer overflows into Rottenwood Creek and its tributaries. The project allows the BLW to meet and maintain Clean Water Act Standards by reducing sanitary sewer overflows (SSOs) caused by failing sewer mains. Much of this project parallels Sope Creek, and overflows from these segments would spill directly into the creek and/or its tributaries. Due to the condition of the existing mains, many manhours are spent cleaning and inspecting the mains to reduce backups and SSOs. Additionally, resources are allocated to this sewer for root treatment once every 3 years to address root intrusion issues found at joints and in cracks in the pipe walls. This project would alleviate these issues resulting in the ability reallocate resources to other troubled areas of \$5,000,000 Marietta Board of Lights and Water 60.970 2.859 the sewer system allowing the BLW to reduce SSOs in other areas of the sewer system as well. ower Emergency Department Sanitary Sewer Interceptor Rehabilitation. This project serves to replace approximate 27,000 linear feet of 18" to 24" sewer interceptor lines which have been inspected via CCTV, assessed utilizing a PACF scoring system, and need replacement. These interceptor lines serve 2,465 domestic and 1,287 commercial ustomers, for a total of 3.752 sewer customers. This sewer receives flow from some of the largest water customer n our service area including Coca Cola Bottling Company, Tip Top Poultry, Six Flags White Water, and Wellstar ennestone Hospital. The existing sewer is at the end of its service life, and without repairs it is expected to rapidly deteriorate causing backups and sanitary sewer overflows into Sope Creek and its tributaries. The project allows the BLW to meet and maintain Clean Water Act Standards by reducing sanitary sewer overflows (SSOs) caused by failing sewer mains. Much of this project parallels Sope Creek, and overflows from these segments would spill directly into the creek and/or its tributaries. Due to the condition of the existing mains, many manhours are spent cleaning and inspecting the mains to reduce backups and SSOs. Additionally, resources are allocated to this sewer for root reatment once every 3 years to address root intrusion issues found at joints and in cracks in the pipe walls. This project would alleviate these issues resulting in the ability reallocate resources to other troubled areas of the sewer Marietta Board of Lights and Water 60 970 \$15,000,000 2.859 ystem allowing the BLW to reduce SSOs in other areas of the sewer system as well. The project will include improvements and enhancements to the City's aging WPCP and will consist of new aerators, baffle curtains, standby power systems, proper maintenance equipment, enhanced safety and security measures and \$5,500,000 2.859 nprovements recommended by EPD. City of Sparta he City of Broxton installed its wastewater treatment plant (a land application type of treatment) in 1987. To date, here has been no upgrades or modifications to any of the existing equipment that is operating at the WWTP. The existing pump station that pumps effluent to the spray fields is in dire need of rehabilitation. The existing pump notors have been re-wired and repaired numerous times and are not energy efficient. The Control panel is in dire need of replacement due to lack of readily available parts. Nearly all of the spray heads in the fields are not unctioning properly and effectively spraying the effluent out at the required flow rates or not working at all. The spray field have old, pyc piping that continues to break further hampering the ability to properly spray effluent as well as numerous valves that do not properly function in the spray fields and effluent ponds. The WWTP is in need o major renovations The proposed scope of work consists of the removal and replacement of all the spray heads and posts within the spray fields, valve replacements, replace existing sprayfield piping with HDPE piping, replace the existing pump tation pumps, motors and control panel, installation of an emergency generator to prevent spillage due to loss of ower. The addition of floating aerators in the ponds to eliminate the growth of duck weed, and general safety \$1,614,960 2.85% nodifications such as repairs to concrete walkways and hand railing at the ponds. City of Broxton roposed sanitary sewer system improvements and expansion into the southern portion of the County, where urrently no public sewer is provided. \$14,000,000 16.880 2.859 Rabun County Water and Sewer Authority New Gateway WRF: WRF Engineering, Design, and Construction \$129,000,000 City of Savannah 148.004 2.85 Recessary improvements for the Flat Creek Water Reclamation Facility in the City of Gainesville Water Resources system through Year 2050 were identified in a facility master plan report. These improvements include: demolition of xisting DAF units and control room, gravity thickener tank, plant manager's office and alum tank containment; onstruction of two new primary clarifiers; conversion of existing DAF2 circular units into primary clarifiers all with overs and dedicated odor control systems; construction of new electrical/controls building and new primary sludge and scum pumping systems; modifications to existing sludge blend tanks; addition of other odor control systems for existing and proposed infrastructure, including covers for flow distribution boxes and sludge holding tanks; eplacement of all demolished structures with temporary accommodations to allow for continuous plant operations hrough construction; and construction all associated water and sewer piping, electrical, and other appurtenances. 42,300 \$50,000,000 2.859 City of Gainesville 20 GA0020168 The City of Baldwin plans to improve their wastewater treatment facility in order to improve operations at the plant and comply with permit. Improvements will include an new headworks, clarifiers, aerators, chemical feed, etc. City of Baldwin 3 630 \$7,200,000 2.859 O GA0033243 he Tom Miller pump station is a regional pump station that receives wastewater flow from a large area in the outhwest SR 316/SR 81 quadrant of Barrow County. This station also receives flow from the City of Auburn. The xisting pumps and forcemain are undersized therefore, the Tom Miller pump station will need to be upgraded. The ipgrades will include a new larger wet well, larger pumps, new back up pump, and 19,000 LF of 16" forcemain \$6,471,000 2.85% 20 GA0039314 Barrow County 85,590 Barrow County plans to expand the Tanner's Bridge WWTF to 2.0 MGD. The project will include additional aeration equipment, effluent filters and a new lab building in order to provide improved treatment and increased capacity. \$7.000.000 85,590 **Barrow County**

Clean Water State Revolving Fund Base and Supplemental 2024 Comprehensive List Total Project Potential Principal | Est. Interes NPDES Permit Project Affordability Sewer Sewer Wastewater Stormwater and Conservation Energy Projects Water Reuse Cost Projects Score Forgiveness Project Description Construction The City is proposing to construct a 0.8 MGD water pollution control plant with a direct discharge to Flat Creek. City of Dawsonville 3 720 \$25,000,000 2.85% he Town proposes to replace the Clearwater Area pumping station and force main. The reginal facility is over two ecades old and has continuous operational issues. The proposed new facility will encompass variable speed motors creening and other energy efficient features. Town of Braselton \$5,300,000 eplacement and upgrade of old aeration equipment and replacement of screening device , dredging of treatment City of Riceboro \$1,581,300 2.859 onds plus upgrading of electrical equipment for energy saving. he City of Fort Valley is currently experiencing persistent flooding caused by insufficient stormwater drainage infrastructure near the headwaters of Bay Creek. Stormwater from approximately one-third of the City of Fort Valley lows through a network of pipes underneath the Blue Bird Corporations' manufacturing facility, daylights into a ditch adjacent to the Goodwill Cemetery, combines with runoff from the Blue Bird facility, and then flows to a culvert system to pass underneath and through a Norfolk Southern railroad and right-of-way. A preliminary engineering nspection by Carter and Sloope reveals the existing drainage infrastructure underneath the railroad is acutely under sized and insufficiently graded to accommodate stormwater flow during most major storm events. To address this problem of persistent flooding, proposed stormwater improvements for this location include the nstallation of approximately 400 linear feet of new double-barrel 80-inch reinforced concrete pipe. To meet Norfoll outhern requirements, the proposed pipe is to be installed by Tunneling via a Tunnel Liner Plate. In addition, an xisting stormwater culvert near the Blue Bird Corporation will be replaced. The proposed work will not negatively mpact any USGS Blue-Lined Stream Segments or Jurisdictional Wetlands. All work will be performed on property owned by the Peach County Board of Commissioners or the Blue Bird Corporation. All easements and permits will be equired before the commencement of construction. \$3,515,100 2.85% City of Fort Valley 8.780 Biosolids Facility Tank - The project includes the construction of a 250,000 gallon bio-solids storage tank at the City of LaFavette Wastewater Treatment Plant. Currently, the City produces bio-solids as a liquid sludge byproduct of the biological treatment process. The currently available storage capacity for the liquid sludge has insufficient capacity to store the bio-solids when the production of solids exceeds the existing tank volume and/or when weather conditions ninder the land application of bio-solids. The proposed bio-solids storage tank would allow LaFayette to store excess oio-solids during wet weather and would enhance the efficiency of dewatering operations. At buildout, the vastewater plant will produce 10,000 gallons of thickened sludge per day which must be dewatered, equating to 2 anker loads of liquid sludge per day. Following construction of this Project, the wastewater plant will produce 9 ton f dewatered solids per day, requiring a semi load of dried cake to be transported to the landfill approximately once City of LaFayette \$953,000 2.85% very three days. iosolids Dewatering Facility - The project includes the construction of a new bio-solids dewatering facility for the Cit of LaFayette Wastewater Treatment Plant. Currently, the City disposes of biosolids as liquid sludge, deposited on nearby farmland through their land application program. However, this program has now lost all except one small application site. The City must urgently find an alternative biosolids disposal method as soon as possible. The proposed bio-solids dewatering facility would allow LaFayette to dewater bio-solids sufficiently to permit landfilling a the Walker County landfill as a solid waste. As a result, the current method of land applying liquid bio-solids on armland would be discontinued. At buildout, the Lafayette wastewater plant will produce 10,000 gallons of hickened sludge per day which must be dewatered, equating to 2 tanker loads of liquid sludge per day. Following onstruction of this Project, the wastewater plant will produce 9 tons of dewatered solids per day, requiring a semi oad of dried cake to be transported to the landfill approximately once every three days. City of LaFayette \$2,992,000 roject includes expansion of an existing storm water basin, installation of a duplex stormwater pump station, and \$1,500,000 2.85% installation of a 18" storm drain pipe with catch basin and curb and gutter. 14.470 City of Bainbridge he City of Alma intends to develop a Land Application System (LAS) designed to treat average daily flows of 0.75 MGD. Raw influent pumped from the City's system will be pretreated, stored and land-applied for final treatment through spray irrigation. In additional to purchasing and developing the land for the LAS, the City's sewer system wil indergo various improvements such as new nump stations, transmission lines, and water and sewer line horings, under Little Hurricane Creek. Any funds obtained through this application will be used for construction of the Land City of Alma 3.430 \$22,500,000 2.859 GA0032328 Applications System and related pumping components. The City of Manchester is proposing to move the lift station at the water pollution control plant out of the floodplain City of Manchester \$1,500,000 2.859 and install a new mechanical bar screen and grit separator. he proposed improvements include the addition of aeration, covers, polishing reactors, piping, electrical, and other niscellaneous improvements to meet the new effluent limits for ammonia and dissolved oxygen imposed by EPD in City of Comer 1,510 \$3,000,000 2.859 he City's new NPDES permit. orrugated metal pipes were installed to convey perennial streams under many Athens-Clarke roads from the 1960's arrough the 1990's. These pipes have been rusting and falling apart at an alarming rate in recent years. Although culvert failures in Athens-Clarke County have not led to any serious injuries, in two cases automobiles became stuck and the drivers had to flee to safety. In one of those cases, the driver had to swim, Sudden washouts during heavy rain events have led to tons of sediment being transported downstream. To date, no sanitary sewers have ruptured as a result of culvert embankment failures, but this is a real possibility. A live stream replacement program was initiated in 2018. Just between February 2018 and July 2022, 27 major tormwater systems failed and were replaced. Of the 36 pipes currently on our program list, 14 are rated as failed, si are critical, and the rest are in poor condition. The total program cost estimate is \$25,774,284. When culverts are replaced, every effort is made to embed the new pipes to avoid fragmentation of aquatic habitat. Stabilization of both the upstream and downstream embankments and stream approaches minimizes future erosion 128.670 \$3,000,000 20 GAG610000 Athens-Clarke County Transportation & Public Works

									Clean Water State Revolving Fund Base and Supplemental							
2024 Comprehensive List Project Total Project Affordability Potential Principal Est. Interest NPDES Permit Wastewater Sewer Stormwater Water																
		Total Project	Affordability	Potential Principal			NPDES Permit		Wastewater	Sewer	Sewer	Stormwater		Water		
Community	Community Score Population Cost Score Forgiveness Rate Est. Term No.						Project Description	Treatment	Construction	Rehabilitation	Projects	Land Conservation	Energy Projects Conservation	Water Reuse		
									The City of Baldwin plans to improve its solids handling facilities at its WWTF in order to improve operations at the							
									plant. Improvements will include an new belt press, solids handling building and associated piping and electrical.							
City of Baldwin	0	3,630	\$980,000	20	0	2.85%	20	GA0033243		x						
									The Town of Braselton proposes to extend its reuse water distribution system to existing water customers, which will							
									displace 30 MG per year of potable water used for irrigation.							
Town of Braselton	0	13,400	\$3,600,000	10	5	2.85%	20	GA0038857								x
Forsyth County Board of Commissioners	0	251,280	\$217,000	13	3	2.85%	20	D	This project includes a new pump station, return flow pipeline, and diffuser.		х					
									The Town of Braselton proposes to extend its reuse water distribution system. The reuse water system will reduce							
									the drinking water demand and will provide an alternative to irrigation with drinking water.							
Town of Braselton	0	13,400	\$1,800,000	10	5	2.85%	20	GA0038857								x
									The Town proposes to contract with a design build firm to assess and develop a pilot study to address and remediate							
Town of Braselton	0	13,400	\$3,085,825	10	5	2.85%	20	GA0038857	PFAS detected in the wastewater effluent.	x						
* indicates projets allocated to supplemental fundin	ng		\$690,225,641	•	•		•	•		•	•	•		•	-	•
** :::	=															

** indicates projects allocated to base funding

Attachment 2 Clean Water State Revolving Fund Project Priority List/Deliverables

Estimated Disbursement/Milestone Schedule														
		Notice	Constr.	Target	2nd	3rd	4th	1st	2nd	3rd	4th	1st	2nd	
	Loan	То	Start	Compl.	Qtr	Qtr	Qtr	Qtr	Qtr	Qtr	Qtr	Qtr	Qtr	Total
Project	Amount	Proceed	Date	Date	10/24-12/24	1/25-3/25	4/25-6/25	7/25-9/25	10/25-12/25	1/26-3/26	4/26-6/26	7/26-9/26	10/26-12/26	Disburs.
City of Ashburn	\$1,697,000	10/1/2024	12/1/2024	2/1/2026	\$0	\$339,400	\$339,400	\$339,400	\$339,400	\$339,400	\$0	\$0	\$0	\$ 1,697,000
City of Dawson	\$2,000,000	5/1/2025	6/1/2025	1/1/2026	\$0	\$0	\$300,000	\$566,667	\$566,667	\$566,667	\$0	\$0	\$0	\$ 2,000,000
City of Luthersville	\$10,200,000	1/1/2025	2/1/2025	2/1/2026	\$0	\$2,040,000	\$2,040,000	\$2,040,000	\$2,040,000	\$2,040,000	\$0	\$0	\$0	\$ 10,200,000
City of Vidalia	\$2,500,000	10/1/2024	11/1/2024	11/1/2025	\$500,000	\$500,000	\$500,000	\$500,000	\$500,000	\$0	\$0	\$0	\$0	\$ 2,500,000
City of Cairo	\$5,265,000	10/1/2024	12/1/2024	12/1/2025	\$1,053,000	\$1,053,000	\$1,053,000	\$1,053,000	\$1,053,000	\$0	\$0	\$0	\$0	\$ 5,265,000
City of Albany	\$12,000,000	10/1/2024	11/1/2024	12/1/2026	\$1,333,333	\$1,333,333	\$1,333,333	\$1,333,333	\$1,333,333	\$1,333,333	\$1,333,333	\$1,333,333	\$1,333,333	\$ 12,000,000
City of Meigs	\$5,384,000	10/1/2024	12/1/2024	12/1/2025	\$1,076,800	\$1,076,800	\$1,076,800	\$1,076,800	\$1,076,800	\$0	\$0	\$0	\$0	\$ 5,384,000
City of Blairsville	\$4,112,000	6/1/2025	7/1/2025	7/1/2026	\$0	\$0	\$685,333	\$685,333	\$685,333	\$685,333	\$685,333	\$685,333	\$0	\$ 4,112,000
Lincoln County	\$8,000,000	10/1/2024	11/1/2024	12/1/2025	\$1,600,000	\$1,600,000	\$1,600,000	\$1,600,000	\$1,600,000	\$0	\$0	\$0	\$0	\$ 8,000,000
City of Adel	\$4,400,000	12/1/2024	1/1/2025	12/1/2025	\$880,000	\$880,000	\$880,000	\$880,000	\$880,000	\$0	\$0	\$0	\$0	\$ 4,400,000
City of Cedartown	\$1,750,000	10/1/2024	12/1/2024	12/1/2025	\$350,000	\$350,000	\$350,000	\$350,000	\$350,000	\$0	\$0	\$0	\$0	\$ 1,750,000
City of Alma	\$2,300,000	2/1/2025	3/1/2025	12/1/2025	\$0	\$575,000	\$575,000	\$575,000	\$575,000	\$0	\$0	\$0	\$0	\$ 2,300,000
TOTAI	L \$ 59,608,000				\$ 6,793,133	\$ 9,747,533	\$ 10,732,867	\$ 10,999,533	\$ 10,999,533	\$ 4,964,733	\$ 2,018,667	\$ 2,018,667	\$ 1,333,333	\$ 59,608,000